HONDA_Dio Brochure_11.75x8.25



Honda Motorcycle and Scooter India Pvt. Ltd.

Registered Office: Commercial Complex II, Sector - 49-50, Golf Course Extension Road, Gurugram - 122018 (Haryana)

Visit us at: www.honda2wheelersindia.com Customer Care: customercare@honda2wheelersindia.com

Dealer Stamp:







NEW FULLY DIGITAL METER*

Get precise measures from real-time mileage to average mileage. Track updates about 'distance to empty' on the go. O REAL TIME MILEAGE

O AVERAGE MILEAGE

O DISTANCE TO EMPTY

O SERVICE DUE INDICATOR

O 3-STEP ECO INDICATOR



A revolutionary system that cuts off the engine when the side stand is engaged.

SILENT START WITH ACG

The ACG starter in your Honda DIO removes gear meshing for a start as silent as a wild cat on the hunt. It also helps to reduce engine maintenance.



eSP TECHNOLOGY

Get ready for one hell of a ride with the new Honda DIO. It is powered by the globally acclaimed Enhanced Smart Power Technology for a silent start, more mileage and less friction for the best riding experience.

PENA-FI FUEL INJECTION

PROGRAMMED FUEL INJECTION

The sensor based PGM-FI system constantly injects optimum fuel with air which delivers an efficient combustion and results in consistent power output and more mileage.



HET BS VI ENGINE

The advanced HET engine delivers an unmatched performance and also contributes to a cleaner environment.

HONDA_Dio Brochure_11.75x8.25 6 7





No more hassles of lifting your seat. Take a stand for refuelling, without having to leave your seat.



ENGINE START/STOP SWITCH

Switch to the better way of riding. Start and stop the engine with just a click.

RETRACTABLE PILLION FOOT STEP

For the ones sitting behind, the ride now becomes a 'pillion times' more comfortable.



Its your ride's way of saying 'give me way'. Speak on the go without saying a word. HONDA_Dio Brochure_11.75x8.25 11



New Dio is available in 2 different variants

FEATURE	DELUXE	STANDARD	
Silent Start	Yes	Yes	
PGM-FI	Yes	Yes	
Headlamp	LED Halogen Bulb		
Meter Console	Full Digital Analog		
Double Lid External Fuel Fill	Yes	Yes	
Intelligent Display (Real time mileage, distance to empty & average mileage)*	Yes –		
Side Stand Engine Cut Off	Optional	Optional	
Engine Start/Stop Switch	Yes	Yes	
Wheel Colour	Gold	Black	
3-Step Eco Indicator	Yes	No	

• +The technical specifications and design of the vehicle may vary according to the requirements and conditions without any notice • Dio meets Bharat Stage VI norms • Product shown in the picture may vary from actual product available in the market • Accessories shown in the picture are not part of standard equipment • "The technical specifications mentioned are for Deluxe variant • *Available in deluxe variant only. Distance to empty, real time and average mileage readings may vary as per riding conditions • All features and colours may not be part of all variants • **Conditions apply. ^Available as optional.

Technical Specifications#

	ENGINE	
1808 mm	Туре	Fan Cooled, 4 Stroke, SI Engine
723 mm	Displacement	109.51 cc
1150 mm	Max Net Power	5.71 kW @ 8000 rpm
1260 mm	Max Net Torque	9 N-m @ 4750 rpm
160 mm	Bore	47.0 mm
650 mm	Stroke	63.1 mm
105 kg	Fuel System	PGM-FI
5.3 L	Compression Ratio	10.0+0.2
	Air Filter Type	Viscous Paper Filter
Automatic	Starting Method	Kick/self
	FRAME & SUSPENSIO	N
90/90-12 54J	Frame Type	Under Bone
90/100-10 53J	Front	Telescopic Suspension
Tubeless	Rear	3-Step Adjustable
Tubeless		Spring Loaded Hydraulic
Drum 130 mm	ELECTRICALS	
Drum 130 mm	Battery	3.0 Ah
	Headlamp	LED
	723 mm 1150 mm 1260 mm 160 mm 650 mm 105 kg 5.3 L Automatic 90/90-12 54J 90/100-10 53J Tubeless Tubeless Drum 130 mm	1808 mm Type 723 mm Displacement 1150 mm Max Net Power 1260 mm Max Net Torque 160 mm Bore 650 mm Stroke 105 kg Fuel System 5.3 L Compression Ratio Air Filter Type Automatic Starting Method FRAME & SUSPENSIO 90/90-12 54J Frame Type 90/100-10 53J Front Tubeless Drum 130 mm ELECTRICALS Battery









Other Honda Shield Products** Annual Maintenance Contract Engine Health Assurance

Follow us on





